

	Type	Hits	Search Text	DBs
1	BRS	486324	(light emit\$7 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	92646	light (guide or panel or plate or lamina or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	633	S1 with (radial\$6 with emit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	99	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	5553	362/30,31,320,26,27,331,559-561,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	1723	349/62-65,70.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	3183	385/130,129,901.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	9881	S5 or S6 or S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	2392	S2 and ((recess\$4 or embed\$6 or cavity or cave or hole or aperture) with S1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	230	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	12	("3667104"   "3786499"   "4138672"   "4163883"   "4306716"   "4367467"   "4504830"   "4603496"   "4683359"   "4789224"   "4818829"   "4935856").PN.	US-PGPUB; USPAT; USOCR
12	BRS	12	("5481440").URPN.	USPAT
13	BRS	518	S2 with ((recess\$4 or embed\$6 or cavity or cave or hole or aperture) with S1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	55	S13 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	IS&R	8	((("5249104") or ("3131670") or ("3264769") or ("6315440") or ("5913594") or ("6318872") or ("6464367") or ("6151089"))).PN.	USPAT
16	BRS	5	("5375043"   "5453855"   "5921652"   "5975711"   "6129444").PN.	US-PGPUB; USPAT; USOCR
17	BRS	1	("6315440").URPN.	USPAT
18	BRS	8	("3264769").URPN.	USPAT
19	BRS	8	("3264769").URPN.	USPAT
20	BRS	9	("3131670").URPN.	USPAT
21	IS&R	3	((("6426763") or ("6402335") or ("6425673"))).PN.	USPAT

Best Available Copy

	Type	Hits	Search Text	DBs
22	IS&R	0	("20040141305").PN.	USPAT
23	IS&R	1	("20040141305").PN.	US-PGPUB; USPAT
24	IS&R	6	((("20040141305") or ("20020114149") or ("20020109804") or ("20020064043") or ("20020089840") or ("20020085368"))).PN.	US-PGPUB; USPAT
25	BRS	1032	362/26,27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	486324	(light emit\$7 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	12and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	470	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	92646	light (guide or panel or plate or lamina or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	338	S28 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	2	("5375043"   "5564819").PN.	US-PGPUB; USPAT; USOCR
32	BRS	0	("5890790").URPN.	USPAT
33	BRS	487136	(light emit\$7 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	5590	362/30,31,320,26,27,331,559-561,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	1731	349/62-65,70.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	3198	385/130,129,901.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	9936	S34 or S35 or S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	3185462	lamp or ((light source) or light) or S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	487202	((dot light source) ) or S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	9866	S39 with ((retain\$4 section) or cave or cavity or recess or embed\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	92793	light (guide or panel or plate or lamina or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	1081	S40 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	204	S40 with S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	49	S40 with S41 and adhes\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
45	BRS	422	S42 and adhes\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	2	two side adhesive tap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	11	double sid\$4 adhesive tap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	1	both sid\$4 adhesive tap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	0	both surface adhesive tap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	two surface adhesive tap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	18	two surface adhesive tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	132	both surface adhesive tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	992	both sid\$4 adhesive tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	9147	double sid\$4 adhesive tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	10152	S51 or S52 or S53 or S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	173	S55 with ((wiring or circuit ) board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	4	S56 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	0	("6825894").URPN.	USPAT
59	BRS	0	("6825894").URPN.	USPAT
60	IS&R	2	((("5453855") or ("5400160"))).PN.	USPAT
61	BRS	0	("6825894").URPN.	USPAT
62	BRS	3	aoyagi-masayuki.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	0	yasushi-morika.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	yasushi-morika.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	2678	349/58,61,65.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	541	349/58,61,65.ccls. and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	351	S66 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	IS&R	1	("6392541").PN.	USPAT

	Type	Hits	Search Text	DBs
69	BRS	6	("3866034"   "5036447"   "5178454"   "5337993"   "5597229"   "6135623").PN.	US-PGPUB; USPAT; USOCR
70	BRS	7	("6392541").URPN.	USPAT
71	BRS	6	("3866034"   "5036447"   "5178454"   "5337993"   "5597229"   "6135623").PN.	US-PGPUB; USPAT; USOCR
72	BRS	487136	(light emit\$7 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	92793	light (guide or panel or plate or lamina or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	18	two surface adhesive tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	132	both surface adhesive tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	992	both sid\$4 adhesive tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	9147	double sid\$4 adhesive tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	10152	S74 or S75 or S76 or S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	3	S79 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	26	S72 with S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	2	S72 with S73 with S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	78	S73 with S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	76	S82 not S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	26	S72 with S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	3	S84 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	2148	light emit\$7 chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	1	S86 with S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	1	S86 same S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	6	S86 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	IS&R	0	("15and6825894.pn.").PN.	USPAT

	Type	Hits	Search Text	DBs
91	BRS	0	S86 and "6825894".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	1	adhes\$4 and "6825894".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	0	S86 with abut\$6 with S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	14	S72 with abut\$6 with S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	39	S72 same abut\$6 same S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	5590	362/30,31,320,26,27,331,559-561,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	1731	349/62-65,70.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	3198	385/130,129,901.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	9936	S96 or S97 or S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	672	S99 and abut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	487758	S72 or S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	334	S100 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	121	S100 and S101 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	IS&R	1	("6672734").PN.	USPAT
105	BRS	4	("5079675"   "5575549"   "5664862"   "5718497").PN.	US-PGPUB; USPAT; USOCR
106	BRS	0	("6672734").URPN.	USPAT
107	BRS	28	"5664862"	USPAT
108	BRS	6	("3994564"   "4373282"   "5390436"   "5485291"   "5521796"   "5664862").PN.	US-PGPUB; USPAT; USOCR
109	BRS	7	("6036327").URPN.	USPAT

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**